



Palift




The Australian Designed and Refined
Series 3 Pallet Leveller

Overview

How does Palift work?

Pallet Levellers resemble scissor lift tables. They have a platform top and a base connected by a pair of scissor legs. The levelling mechanism is a set of springs tuned to the weight and height (the density) of the product. Pallet levellers work automatically to raise or lower as the weight changes.

Load setting is a simple process and for most users springs never have to be changed. A shock absorber prevents any bounce and all Australian Palifts are supplied with a standard galvanised finish.



Palift Applications

Durable and tough, with zero power requirements, Palift can be used in a wide range of applications including warehousing, packing, wash down and other harsh environments.



Palift Series 3

Save your back loading pallets with Palift

By automatically keeping a pallet or stillage at the optimum working height when loading or unloading goods, Palift dramatically reduces the effort required to palletise and depalletise goods.

Our proven design is incredibly robust and will endure many years of daily use without maintenance.



The original and best way to load and unload pallets


The Safetech Palift design has remained largely unchanged since its inception back in the late 80's. But series 3, which continues to be the market leader, sees refined geometry and a compact overall footprint. This is achieved by having the entire structure within the borders of the top working surface. Due to this proven Safetech design, you can be sure that the Palift will seamlessly integrate with your growing infrastructure and existing processes.

**Turntable top for easy
load rotation**


WLL up to 2000kgs

Set and forget Springs

Forklift Tyne sockets



Specifications & Options




PALIFT SERIES 3

TURNTABLE TOP

SQUARE TOP

Maximum Working Capacity kilograms	2000	2000
Maximum Height (extended height) millimetres	709	709
Minimum Height (compressed height) millimetres	239	225
Platform Top dimensions	1100 Ø	1046 x 1060 mm
Durable Fully Galvanised Frame	Y	Y
Product Weight kilograms	150	150

Options:




Mobile Dolly Base

This sits under a Palift for easy manual movement. Removing the handle drops the base to the ground, locking the Palift into position.



Mobile Dolly Handle

This strong and easy to use handle can be separated from the Base Frame and stored for later use. It can also be used on any other Palifts with the Mobile Base Frame Installed.



Turntable Rotation Lock

This device locks rotation in the round turntable top Palift. Preventing unexpected rotations during movement, loading or storage.

LIFT TABLES BROCHURE

Safetech design and manufacture a wide range of static, mobile and heavy capacity scissor lifts.

The Lift Tables brochure has all the critical information you need to choose the right lifting solution for your business.



39-45 Della Torre Road, Moe Victoria 3825
t: 1800 674 566
e: sales@safetech.com.au

