

Stretch Tape Wrapper



The solution for wrapping fresh produce, dairy products & temperature sensitive freight
Load containment with unobstructed airflow

Overview



Driscoll's Strawberries, USA

Safetech's Stretch Tape Wrapping system is superior to conventional stretch or perforated film for temperature sensitive loads. Producers of fresh fruit, vegetables, processed dairy products, soft cheeses and chilled or frozen freight have enjoyed the advantages stretchable tape offers for more than 20 years.

Palletising & securing items for transport at the point of packaging delivers a number of key benefits. The stretchable tape system allows unobstructed airflow for efficient cooling.

Advantages

- ✓ Unrestricted airflow to rapidly cool pallet cores.
- ✓ Wrapping goods when hot eliminate the need to cool prior to packing and storing.
- ✓ Wrap and refrigerate fresh produce immediately after picking and eliminate double handling.
- ✓ Up to 95% waste reduction vs. stretch film or netting.
- ✓ 100% load security.

Applications



Bananas



Strawberries



Apples




Eggs



Soft cheeses



Yoghurt



Milk



Avocados



Mangoes



Sensitive freight

Guaranteed load stability tonne after tonne



Why tape instead of film wrapping?

- ❏ Data logging shows rapid load temperature reduction to stop product spoilage.
- ❏ Eliminate corner boards.
- ❏ Streamline your loading processes to reduce costs.
- ❏ Reduce or eliminate transport vibration damage to soft fruits.
- ❏ Locking down lidded box tops eliminates product bruising.




Chilled Airflow

Unobstructed airflow ensures even temperature is maintained throughout the entire load.




Intuitive Controls

Controls provide a wide range of wrapping possibilities. Customise and save unique wrap patterns to match your specific needs.







Easy Wrapper



Lo-Wrapper

Pattern options

Multi X Pattern	Partial Load	Banding	Looping
			
Versatile pattern for securing loads of all types.	For wrapping an incomplete top layer. The pattern is two juxtaposed horizontal straps around an incomplete top layer.	Single or multiple horizontal bands around the load at chosen positions can be applied over the top of multi X pattern for added strength.	To lock down a pallet cap, or lidded boxes to prevent product bruising Also secures protective top sheets for transport.

Models

E/T3 Easy Wrapper

Forklift loadable semi-automatic stretch tape wrapping solution.

Integrated forklift pockets within base for easy relocation.



L/T3 Lo-Wrapper

Pallet Truck accessible semi-automatic stretch tape wrapping solution.

Ultra-low profile turntable with integrated ramp.



Specifications	Easy Wrapper	Lo-Wrapper
Model	E/T3	L/T3
Manufactured	Australia	
Capacity	2000 kilograms	
Loading	Forklift	Pallet Truck
Turntable Height	110mm	26mm
Turntable Diameter	1400mm	1200mm
Max. Wrap Height	2700mm	2700mm
Powered Pre-Stretch Head	Yes	Yes
Multi X Patterns	Yes. Variable spacing possible	
Banding	Yes. Variable spacing possible	
Looping	Yes. Secures top layer to load	
Pattern Storage	Yes. Save up to 9 favorite programs	
Product Warranty	12 months	
Power Requirement	240V / 1 Phase / 10A. 10A plug fitted	
Product Weight	300 kilograms	400 kilograms

39-45 Della Torre Road, Moe Victoria 3825
t: 1800 674 566
e: sales@safetech.com.au

4 | safetech.com.au



 **SAFETECH™**
Safety and productivity by design